

Table lamp LUCTRA® TABLE LITE

Article number	921401	Sales unit quantity	1 Piece
Colour	Black	Sales unit EAN	4005546737546
Packaging unit	1 piece	Packing weight (gross)	3576 G
Base EAN	4005546737546	Country of origin	CN



Logos and awards



www.tuv.com
ID 1111274648



tested and recommended by



Institut für Gesundheit und Ergonomie
www.igr-ev.de



GERMAN DESIGN AWARD WINNER 2024



reddot winner 2024



PLUS X AWARD
High Quality
Design
Ease of Use
Functionality
www.plusaward.com



UX DESIGN AWARDS
nominated 2024



iF DESIGN AWARD 2024

Product description

- LED table lamp with biologically effective light and innovative gesture control
- Support of the individual daily rhythm and body clock with optimal color temperature and intensity of light
- Realistic imitation of daylight for healthy hormone production and mental well-being
- Intuitive three-dimensional gesture control for setting the light intensity and light color
- Even workplace illumination
- Narrow tolerance binnings ensure high colour fidelity
- Stepless adjustment of light intensity by dimming
- Color temperature of light adjustable in 5 steps between 2,700 K and 6,500 K

Table lamp LUCTRA® TABLE LITE

- Rotatable circular lamp head for perfect illumination by any activity
- Long-life LED's with service life well over 50,000 hours
- Universal USB-C connection for operating the lamp via a laptop or an external battery
- Space-saving stable steel base, Ø 210 mm
- Easy to assemble without tools
- High quality aluminum body

Product features

Outer width (mm)	210
Outer height (mm)	620
Outer depth / length	730 mm
Outer Ø (mm)	210
Brand	LUCTRA®
Number of lamp heads	1
Designer	Yellow design, Prof. Günter Horntrich
Luminaire head height 1 (mm)	18
USB ports	No
Cable length (mm)	1500
Plug type	Type C
Luminaire head 1 Ø (mm)	110
Non-slip	Yes
Lamp height	300 - 750 mm
Lamp rotatable	360°
Upper arm tilt angle	90 - 180°
Head rotatable	+/- 95°
Head tilt angle	0 - 90°
Base / mount type	Round base
Light direction	Direct
Rated luminous flux direct	900
Colour temperature (CCT=correlated color temperature)	2700 K - 6500 K
Human Centric Lighting / Biological Lighting Effect	Yes
Colour rendering index (CRI)	> 90
Colour tolerance	< 3 SDCM
LED	Yes
Dimmable	Yes

Table lamp LUCTRA® TABLE LITE

Direct/indirect lighting separately dimmable	No
Setting Light intensity	Seamless
Setting light colour	5 steps
Setting Boost	No
VITACORE®	No
Type of operation	Gesture control
Standby consumption (W)	0.3
Power consumption (W)	12
Protection class	3
Protection type	IP 20
With battery	No
Energy efficiency class direct	C
LED board direct	1698483
EPREL reg. no. direct	1698483
Lifetime LED	> 50.000 h